SAFETY DATA SHEET



1/10

BAYER ADVANCED SEASON-LONG GRUB CONTROL READY-TO-SPRAY

Version 2.0 / USA Revision Date: 11/12/2014 102000014313 Print Date: 04/10/2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name BAYER ADVANCED SEASON-LONG GRUB CONTROL READY-TO-

SPRAY

Product code (UVP) 05995190

SDS Number 102000014313

EPA Registration No. 72155-51

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on useSee product label for restrictions.

Information on manufacturer

Bayer Environmental Science 2 T.W. Alexander Drive

Research Triangle PK, NC 27709

United States

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577 (24 hours/day)

Product Information

1-800-331-2867

Telephone Number

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Other hazards

No particular hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name CAS-No. Concentration % by weight

 Imidacloprid
 138261-41-3
 1.47

 Glycerine
 56-81-5
 8.70

SAFETY DATA SHEET



2/10

BAYER ADVANCED SEASON-LONG GRUB CONTROL READY-TO-SPRAY

Version 2.0 / USA Revision Date: 11/12/2014 102000014313 Print Date: 04/10/2015

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible. Call

a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a physician

or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable None known.

Special hazards arising from the substance or

Dangerous gases are evolved in the event of a fire.

mixture

Advice for firefighters

Special protective Firefighters should wear NIOSH approved self-contained breathing

equipment for fire-fighters apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

SAFETY DATA SHEET



3/10

BAYER ADVANCED SEASON-LONG GRUB CONTROL READY-TO-SPRAY

Version 2.0 / USA Revision Date: 11/12/2014 102000014313 Print Date: 04/10/2015

fire fighting to enter drains or water courses.

Flash point > 93 °C

Autoignition temperatureno data availableLower explosion limitno data availableUpper explosion limitno data availableExplosivitynot applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil,

waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container and out of the reach of children, preferably in a locked storage area. Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products,

fertilizers, food, and feed. Protect from freezing.

SAFETY DATA SHEET



4/10

BAYER ADVANCED SEASON-LONG GRUB CONTROL READY-TO-SPRAY

Version 2.0 / USA Revision Date: 11/12/2014 102000014313 Print Date: 04/10/2015

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	5ug/m3 (AN ESL)	07 2011	TX ESL
Imidacloprid	138261-41-3	50ug/m3 (ST ESL)	07 2011	TX ESL
Imidacloprid	138261-41-3	0.7 mg/m3 (TWA)		OES BCS*
Glycerine (Total dust.)	56-81-5	15 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Total dust.)	56-81-5	10 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Total dust and mist.)	56-81-5	10 mg/m3 (TWA)	06 2008	TN OEL
Glycerine (Respirable fraction and dust or fume.)	56-81-5	5 mg/m3 (TWA)	06 2008	TN OEL
Glycerine (Particulate.)	56-81-5	50ug/m3 (ST ESL)	02 2013	TX ESL
Glycerine (Particulate.)	56-81-5	5ug/m3 (AN ESL)	02 2013	TX ESL
Glycerine (Vapor.)	56-81-5	100ug/m3 (AN ESL)	02 2013	TX ESL
Glycerine (Vapor.)	56-81-5	1000ug/m3 (ST ESL)	02 2013	TX ESL

No control parameters known.

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Respiratory protection is not required under anticipated

circumstances of exposure.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

^{*}OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

SAFETY DATA SHEET



5/10

BAYER ADVANCED SEASON-LONG GRUB CONTROL READY-TO-SPRAY

Version 2.0 / USA Revision Date: 11/12/2014 102000014313 Print Date: 04/10/2015

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance white to light beige

Physical State liquid

Odor characteristic

Odour Threshold no data available

pH 4.5 - 5.5 at 100 % (20 °C)

Vapor Pressure no data available
Vapor Density (Air = 1) no data available

Density ca. 1.03 g/cm³ at 20 °C

Evapouration rate no data available

Boiling Point 100 °C / 212 °F

Melting / Freezing Point no data available

Water solubility soluble

Minimum Ignition Energynot applicableDecompositionnot applicable

temperature

Partition coefficient: n-

octanol/water

not applicable

Viscosity 300 - 600 cps

Flash point > 93 °C

Autoignition temperatureno data availableLower explosion limitno data availableUpper explosion limitno data availableExplosivitynot applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition not applicable

Chemical stability Stable under normal conditions.

SAFETY DATA SHEET



6/10

BAYER ADVANCED SEASON-LONG GRUB CONTROL READY-TO-SPRAY

Version 2.0 / USA Revision Date: 11/12/2014 102000014313 Print Date: 04/10/2015

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid freezing

Incompatible materials no data available

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Ingestion, Inhalation, Skin contact

Immediate Effects

Eye Causes eye irritation.

Ingestion Harmful if swallowed.

Information on toxicological effects

Acute oral toxicity LD50 (male rat) > 4,870 mg/kg

LD50 (female rat) 4,143 mg/kg

Acute inhalation toxicity LC50 (male/female combined rat) > 5.3 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

(actual)

LC50 (male/female combined rat) > 20 mg/l

Exposure time: 1 h

Determined in the form of liquid aerosol.

Extrapolated from the 4 hr LC50.

(actual)

Acute dermal toxicity LD50 (male/female combined rabbit) > 2,000 mg/kg

Skin irritationNo skin irritation (rabbit)Eye irritationMinimally irritating. (rabbit)

Sensitisation Non-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.